



Sample Sheet examples

These pages contain examples on how to enter accurate information into the online database.

If you are not able to find a particular sample type or situation in these lists please contact the lab at laboratory@smsl.co.nz and ask for help. They are there to support your job.

The GPS coordinates must be obtained using the WGS84 datum and expressed in Latitude-Longitude (DMS). Coordinates must be entered in the online database following this format:

Latitude / GPS North: 36 58 21.42 S

Longitude / GPS East: 174 47 11.01 E

The examples that are for routine surveillance assume that the GPS coordinates would be in the online database already as all routine sites need to have GPS coordinates recorded.

Sample Sheets examples

Tyre Trap – Positive sample	2
Tyre Trap – Negative sample.....	3
CO₂ Baited Light Trap – Positive sample	4
CO₂ Baited Light Trap – Negative sample.....	5
Interception – positive for exotic mosquitoes.....	6
Suspected Interception – Mosquito found alive.....	7
Suspected Interception – non-mosquitoes detected.....	8
GAT trap – Positive sample	9
GAT trap – Negative sample.....	10
Pond – Positive sample	11
Pond – Negative sample	12
BG Trap – Positive sample.....	13
Artificial Container – Negative sample	14
Artificial Container – Positive sample	15
Sump – Positive sample	16
Natural Container – Positive sample	17

Tyre Trap – Positive sample

Notes: This tyre trap is located in a port of entry (POE) and is part of a mosquito routine surveillance programme. The trap is checked once a week.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
1	1

Trap Type	Trap Nights
Tyre Trap	7

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
6°C	No Rain	Clear	10Km/h NW

Control/treatment	Attractants
S-methoprene	Water

GPS East	GPS South
Already saved in the database	Already saved in the database

Tyre Trap – Negative sample

Notes: This tyre trap is part of an International Airport mosquito routine surveillance and is checked once a week.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample		Sample Type:		
Positive	Negative	Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
1	0

Trap Type	Trap Nights
Tyre Trap	7

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
13°C	Light Rain	Overcast	8Km/h W

Control/treatment	Attractants
S-methoprene	Water

GPS East	GPS South
Already saved in the database	Already saved in the database

CO₂ Baited Light Trap – Positive sample

Notes: This light trap is part of a POE routine surveillance and is checked every three days.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
CO2 Baited Light Trap	3

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
11°C	No Rain	Moderate Cloud	23Km/h E

Control/treatment	Attractants
-	CO2 & Light

GPS East	GPS South
Already saved in the database	Already saved in the database

CO₂ Baited Light Trap – Negative sample

Notes: This light trap was set up after NZB confirmed the interception of an exotic *Culex* mosquito in a transitional facility.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other: Enhanced Surveillance				

Positive/Negative Sample	
Positive	Negative

Sample Type:			
Adult	Larvae and/or Pupae	Other:	

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
CO2 Baited Light Trap	3

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
26°C	No Rain	Clear	1Km/h SE

Control/treatment	Attractants
	CO2 & Light

GPS East	GPS South
174 52 27.43 E	41 13 38.87 S

Interception – positive for exotic mosquitoes

Notes: MPI contacted you about a mosquito found in a container from foreign origin. The sample was identified as an exotic mosquito.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
16°C	Moderate Rain	Overcast	5Km/h S

Control/treatment	Attractants

GPS East	GPS South
174 54 19.26 E	41 12 36.90 S

Suspected Interception – Mosquito found alive

Notes: MPI contacted you about a mosquito found alive while checking a pellet of bananas from Ecuador in the MPI search room. Preliminary ID of the mosquito suggests *Culex* sp. You have sent the sample to the lab and are awaiting final identification.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other: Suspected Interception				

Positive/Negative Sample		Sample Type:		
Positive	Negative	Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
8°C	Light Rain	Moderate Cloud	35Km/h E

Control/treatment	Attractants

GPS East	GPS South
174 46 35.76 E	41 16 42.34 S

Suspected Interception – non-mosquitoes detected

Notes: MPI contacted you about a suspected mosquito found in a container from foreign origin. The sample was identified in the NZB Entomology Laboratory as a fungus gnat

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Suspected Interception				

Positive/Negative Sample		Sample Type:		
Positive	Negative	Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
22°C	No Rain	Clear	10Km/h NE

Control/treatment	Attractants
S-methoprene	Water

GPS East	GPS South
174 46 54.44 E	41 17 26.10 S

GAT trap – Positive sample

Notes: This GAT (Gravid *Aedes* Trap) trap is part of a routine surveillance programme and is checked every 14 days as it is winter.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat – Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
GAT Trap - Adult	14

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
-2°C	Snow	Overcast	15Km/h S

Control/treatment	Attractants
Barrier Spray	Water

GPS East	GPS South
Already saved in the database	Already saved in the database

GAT trap – Negative sample

Notes: This GAT (Gravid *Aedes* Trap) trap is part of a routine surveillance programme and is checked every 7 days.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
GAT Trap - Adult	7

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
20°C	Light Rain	Moderate Cloud	3Km/h N

Control/treatment	Attractants
Barrier Spray	Water

GPS East	GPS South
Already saved in the database	Already saved in the database

Pond – Positive sample

Note: This pond has been sampled after a member of the public complained that they were being bitten by exotic mosquitoes.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other: Public Enquiry				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
10	8

Trap Type	Trap Nights
Not a Trap	N/A

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
19°C	No Rain	Clear	9Km/h W

Control/treatment	Attractants
<i>Bti</i>	Water

GPS East	GPS South
174 47 3.55 E	41 19 14.66 S

Pond – Negative sample

Note: This pond is located in a high-risk area in a POE and is included in the routine mosquito surveillance programme.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
10	0

Trap Type	Trap Nights
Not a Trap	N/A

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
16°C	Light Rain	Moderate Cloud	19Km/h E

Control/treatment	Attractants
<i>Bti</i>	Water

GPS East	GPS South
Already saved in the database	Already saved in the database

BG Trap – Positive sample

Note: This BG trap is located inside an International Airport and is checked once a week.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
N/A	N/A

Trap Type	Trap Nights
BG Trap - Adult	7

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
6°C	No Rain	Clear	10Km/h SE

Control/treatment	Attractants
	BG Lure

GPS East	GPS South
Already saved in the database	Already saved in the database

Artificial Container – Negative sample

Notes: An unkept pool is found near a POE during a 400m survey on neighbouring property.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample		Sample Type:		
Positive	Negative	Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
10	0

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
11°C	No Rain	Overcast	11Km/h E

Control/treatment	Attractants
<i>Bti</i>	Water

GPS East	GPS South
174 45 10.78 E	41 17 20.58 S

Artificial Container – Positive sample

Notes: A small plastic container was found during a routine surveillance in port. The contents were emptied for mosquito larval inspection. The container was disposed of.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
1	1

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
18°C	No Rain	Light Cloud	7Km/h SW

Control/treatment	Attractants
	Water

GPS East	GPS South
174 45 59.35 E	41 16 53.22 S

Sump – Positive sample

Notes: A sump was sampled during a 400m survey.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
3	2

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
16°C	No Rain	Light Cloud	6Km/h NW

Control/treatment	Attractants
<i>Bti</i>	Water

GPS East	GPS South
174 55 37.67 E	41 15 7.47 S

Natural Container – Positive sample

Notes: A tree hole holding water found during a delimiting survey, after an exotic mosquito was intercepted in a transitional facility.

Reason for Sampling:				
Routine Surveillance	400m Survey	Mega Survey	Interception	Delimiting survey
Other:				

Positive/Negative Sample	
Positive	Negative

Sample Type:		
Adult	Larvae and/or Pupae	Other:

Habitat Category:				
Trap Option	Artificial Container	Natural Container	Flowing Stream	Lake Edge
Intermittent Ephemeral Puddle	Swamp/Marsh	Subterranean Habitat - Natural	Subterranean Habitat – Artificial	
Ponded Stream	Permanent Pond	Temporary Pond	Rock Pool	

Total Dips	Positive Dips
2	1

Trap Type	Trap Nights
Not a Trap	

Temperature	Precipitation	Cloud Cover	Wind Speed (Km/h) and direction
4.8°C	No Rain	Overcast	6Km/h S

Control/treatment	Attractants
<i>Bti</i>	Water

GPS East	GPS South
174 51 58.73 E	41 15 20.86 S